


"It isn't what we don't know that gives us trouble, it's what we know that ain't so"


Will Rogers


"There are known knowns. These are things we know. There are known unknowns. There are things that we know we don't know. But there are also unknown unknowns. There are things we don't know we don't know.


Donald Rumsfeld





	and components	
Transport Process	Phase	Potential (Difference)
Gas diffusion	Vapor	Vapor pressure
Liquid diffusion	Liquid	Concentration
Surface diffusion	Adsorbate	Concentration
Thermal diffusion	Vapor and liquid	Temperature
Capillary flow	Liquid	Suction pressure
Convective flow	Vapor	Air pressure
Gravitational flow	Liquid	Height
Poiseuille flow	Liquid	Liquid pressure
From Kumaran, M. K.: Chapter 1, Mos	sture in Buildings, ASTM: 1994	



































































































































Water Control Layer
Air Control Layer
Vapor Control Layer
Thermal Control Layer











































































Monitoring

- Measure every 5 minutes, save every hour
- · Stored locally with battery back up
- Ethernet connection allows data to be collected from any Internet connection

85

Experimental Approach

- · Run for 12 months
 - A. How do perfect walls behave under normal conditions?
- Run for 12 months
 - · B. Introduce calibrated "leaks"
 - Different times of year
 - Different quantities

86

A calibrated leak

- Known quantity
- Known location
- Known time
- Avoid draining




87

Methodology


- Model homes in Cold, Mixed-Humid, and Hot-Humid climate zones.
- Logged wall conditions, and indoor & outdoor temperature, relative humidity; physical condition of assembly periodically checked
- · Comparison to hygrothermal models
- Tune hygrothermal models based on experimental results
- · Comparison to proposed code language
- · Adjust code proposed code language
- Iterate as often as necessary politics driven but physics constrained

38



































































Energy Impact of Gaps?

Building Science Corporation

Joseph Latiburek, 119



























Beer Screen?

Building Science Corporation

Joseph Listburge 131



Research ongoing

Building Science Labs paper (CCBST 2014)(Smegal & Straube)

More information:

www.buildingscience.com www.buildingsciencelabs.co

Building Science Corporation

Joseph Lstiburek 133